

LEVITY / LUMINA SERIES



LEVITY 60



LEVITY 45



LUMINA 60



LUMINA 45

Welcome to Osprey. We pride ourselves on creating the most functional, durable and innovative carrying product for your adventures. Please refer to this owner's manual for information on product features, use, maintenance, customer service and warranty.

OWNER'S MANUAL



ospreypacks.com

OVERVIEW



SHARED FEATURES

- 1 Fixed top lid with pocket
- 2 Two removable side compression cords
- 3 Dual access fabric side pockets with InsideOut™ compression cord
- 4 Bellowed front fabric pocket for stashing gear
- 5 Top lid cord loop attachment points
- 6 Sternum strap with integrated safety whistle
- + Internal main compartment compression strap
- + Strippable

FABRIC

- MAIN** 30D Cordura® Silnylon Ripstop
- ACCENT** NanoFly™ 210D Nylon X 200D UHMWPE
- BOTTOM** NanoFly™ 210D Nylon X 200D UHMWPE

OVERVIEW



LEVITY 60

MEN'S

SPECS	S	M	L
Cubic Inches	3478	3661	3844
Liters	57	60	63
Pounds	1.80	1.89	1.97
Kilograms	0.82	0.86	0.90
Inches	28h x 16w x 13d		
Centimeters	72h x 40w x 33d		

STRIPPED WEIGHT 1.89 lb | 0.86 kg

LOAD RANGE 10-25 lb | 5-11 kg



LEVITY 45

MEN'S

SPECS	S	M	L
Cubic Inches	2563	2746	2929
Liters	42	45	48
Pounds	1.71	1.80	1.89
Kilograms	0.78	0.82	0.86
Inches	27h x 16w x 12d		
Centimeters	68h x 40w x 30d		

STRIPPED WEIGHT 1.79 lb | 0.81 kg

LOAD RANGE 5-20 lb | 2-9 kg



OVERVIEW

LUMINA 60

WOMEN'S

SPECS	WXS	WS	WM
Cubic Inches	3295	3478	3661
Liters	54	57	60
Pounds	1.70	1.79	1.88
Kilograms	0.77	0.81	0.85
Inches	28h x 16w x 13d		
Centimeters	72h x 40w x 34d		

STRIPPED WEIGHT 1.81 lb | 0.82 kg

LOAD RANGE 10-25 lb | 5-11 kg



LUMINA 45

WOMEN'S

SPECS	WXS	WS	WM
Cubic Inches	2380	2563	2746
Liters	39	42	45
Pounds	1.66	1.70	1.75
Kilograms	0.75	0.77	0.79
Inches	27h x 16w x 12d		
Centimeters	68h x 40w x 31d		

STRIPPED WEIGHT 1.73 lb | 0.78 kg

LOAD RANGE 5-20 lb | 2-9 kg



1 SUSPENSION

- + 3.5mm Lightwire
- + 6065 aluminum frame

2 SUPERULTRALIGHT AIRSPEED™ BACKPANEL

- + 3D-tensioned breathable mesh backpanel with side ventilation

3 EXOFORM™ HARNESS

- + Seamless layered mesh provides improved comfort and cushioning
- + 15 mm adjustable slide sternum strap with integrated safety whistle

4 EXOFORM™ HIPBELT

- + ErgoPull™ closure
- + Seamless layered mesh provides improved comfort and cushioning



SIZING / FIT



LEVITY - MEN'S SIZING

S	16-19" / 40.6-48.3 cm
M	18-21" / 45.7-53.3 cm
L	20-23" / 50.8-58.4 cm

LUMINA - WOMEN'S SIZING

WXS	16-19" / 40.6-48.3 cm
WS	18-21" / 45.7-53.3 cm
WM	20-23" / 50.8-58.4 cm



HARNESS FIT

The harness straps should wrap fully around your shoulders with no gaps between the pack and back. The padded part of the harness straps should end 1"/2.5cm - 2"/5cm below the armpits and the sternum strap adjusted to approximately 2"/5cm below the collarbone.

C7 VERTEBRA



ILIAC CREST



WOMEN'S SPECIFIC FIT

- + The pack shape is narrower and deeper allowing greater freedom of movement and increasing stabilization by lowering the position of the load to a woman's center of gravity.
- + The shoulder harness is designed with different curves to create an anatomical fit for a woman's neck, shoulders and chest.
- + Women's hips are conically shaped with a larger difference between the waist and hip measurements. The hipbelts are shaped and angled to accommodate this difference which allows a more comfortable load transfer and support.

HARNESS SIZING

- Completely loosen the pack's hipbelt straps, harness straps and load lifters.
- Load the pack with 10-20lbs/4-9kg of gear.
- Put on the pack ensuring the hipbelt is centered and resting over the user's hipbones. The hipbelt padding should sit half above and half below the hipbone. Buckle the hipbelt and tighten the hipbelt straps.



- Tighten the shoulder harness straps by pulling them down and back. Adjust and buckle the sternum strap 2"/5cm below the collarbone. Tighten the load lifts to transfer the weight off of the shoulders.



- Find the harness yoke or where the harness straps come together near the user's neck. The yoke should be 2"/5cm below the C7 vertebra. The C7 vertebra can be located by tilting the head down and finding the bone that protrudes at the base of the neck.



- If the yoke is less than 2" from your C7 vertebra, try on a smaller pack. If the yoke is more than 2" from your C7 vertebra, try on a larger pack.



FEATURE DETAILS



FIXED TOP LID 60L / 45L

Fixed top lid features a zippered compartment with key clip for storing and organizing smaller items.



DUAL ACCESS FABRIC SIDE POCKETS WITH INSIDEOUT™ COMPRESSION CORD 60L / 45L

Dual access side fabric pockets store smaller items and provide access when wearing the pack. Items can be inserted from the top or side.



TWO REMOVABLE SIDE COMPRESSION CORDS 60L / 45L

Removable side compression cords reduce weight.

- A Locate the webbing loop port at the base of the side fabric pocket and push/pull the knot through the opening, then untie the knot from the webbing loop.
- B Unthread the cord from the three plastic side compression anchors and the upper ladder lock and store for safe keeping.

To replace the cord:

- A Thread the cord through the upper ladder lock and three side compression anchors.
- B Attach the cord to the webbing loop located inside the side fabric pocket with an overhand followthrough knot.



BELLOVED FRONT FABRIC POCKET FOR STASHING GEAR 60L / 45L

Front fabric pocket stores gear you need quick access to, or holds wet gear to dry.

FEATURE DETAILS



TOP LID CORD LOOP ATTACHMENT POINTS

60L / 45L

Top lid cord attachment points can be used to secure additional gear externally.



INTERNAL RESERVOIR SLEEVE

60L / 45L

Place reservoir inside sleeve to help ensure proper pack weight distribution. Clip reservoir to buckled loop to keep upright.



INTERNAL MAIN COMPARTMENT COMPRESSION STRAP

60L / 45L

Internal main compression strap keeps loads stable.

For more information on this product and others, pack care, how to pack your pack, our lifetime guarantee, or to contact Osprey Customer Service, visit **ospreypacks.com**.

OWNER'S MANUAL



ospreypacks.com